

EXIT SIGNS

Exit and Emergency Lighting



ALUMINUM LED EDGELIT EXIT SIGN

SKU: LSXEL

Premium-grade, extruded aluminum housing (also available in black or white powder-coated finishes). Aluminum mounting canopy included for top, end or back mount.



DIE-CAST ALUMINUM LED EXIT SIGN

SKU: LSXDC


Premium-grade, aluminum housing (also available in black or white powder-coated finishes). Aluminum mounting canopy included for top or end mount.



STEEL LED EXIT SIGN

SKU: LSXST

Durable, powder-coated 20-gauge steel construction in white or black finish. Mounting canopy included for top or end mount.



EXPLOSION PROOF

Exit and Emergency Lighting



HAZARDOUS CLASS, VANDAL-RESISTANT EXIT SIGN AND BAA EXPLOSION PROOF EMERGENCY EXIT SIGN

SKU: LSRBOE

Approved for use in Class I, Division 2, Groups A, B, C and D: T2B area classification. In addition, the LSRBOE is also suitable for Class I, Zone 2, IIA, IIB & IIC: T1 & T2 area classification



FIXED THERMOPLASTIC EDGELIT EXIT SIGN

SKU: LSXPEL

Approved for use in Class I, Division 1, Groups C & D • Class II, Division 1, Groups E, F & G • Class III • Class I, Zone 1, Groups IIA, IIB • UL 844, 1598, 8750 & 924 • UL 1598A Marine Outside Type (Salt Water) • USCG Regulation 46 CFR Subparts 111.75-15 (e) & 112.43 • CUL • IP65 • NEMA 4X • Suitable for Wet Locations



EXPLOSION PROOF LED EMERGENCY LIGHT AND EXIT SIGN

SKU: LSXPEH

Approved for use in Class I, Division 1, Groups C & D • Class II, Division 1, Groups E, F & G • Class III • Class I, Zone 1, Groups IIA, IIB • USCG Regulation 46 CFR Subparts 111.75-15(e) & 112.43 • UL 844 Hazardous Locations • UL 1598A Marine Outside Type • UL 1598 Wet Locations • UL 8750 LED Safety • UL 924 Emergency Lighting • CUL • IP65 • NEMA 4X



EMERGENCY LIGHTING

Exit and Emergency Lighting



ADJUSTABLE OPTICS LED EMERGENCY UNIT

SKU: LSLEDMR2

High performance, chrome-plated metallized reflector and plastic lens for optimal light distribution. Two adjustable LED lamp heads provide optimal center-to-centerspacing.



LED LOW PROFILE THERMOPLASTIC EMERGENCY LIGHT

SKU: LSLEDE1

Injection-molded, engineering grade, 5VA flame retardant, high-impact resistant, thermoplastic in white or black finish.



REMOTE CAPABLE MR-16 EMERGENCY UNIT

SKU: LSMR-16-65/125

Injection-molded, engineering grade, 5VA flame retardant, high-impacted resistant, thermoplastic in white or black finish.



WET LOCATION

Emergency Lighting



SEMI-RECESSED MR-16 EMERGENCY UNIT

SKU: LSLEDMGWL

MR-16 Wet Location SEmi-Recessed Polycarbonate Emergency Unit. Optional Internal Heater, Cold Location, and Assembled in the US.



DECORATIVE OUTDOOR LED AC/EMERGENCY UNIT

SKU: LSLEDEMDBEL

LED Decorative Outdoor Die-Cast AC/Emergency Unit. Wet Location Rated with Self Diagnostic and Photocell Standard. Optional cold location.




WET LOCATION REMOTE CAPABLE LED EMERGENCY UNIT

SKU: LSLEDMWL

LED Wet and Cold Location Remote Capable Polycarbonate Emergency Unit.

CASEY ELECTRIC SALES
800-323-6696
CaseySales.com

LIFESAFETY LIGHTING
FOUR NESHAMINY INTERPLEX DRIVE, SUITE 107
TREVOS, PA 19053



COMBOS

Exit and Emergency Lighting



WET LOCATION ALL LED EXIT AND EMERGENCY COMBO

SKU: LSCWLEZXTEU

5VA flame retardant, UV stabilized polycarbonate in white, black or gray finish. High-impact resistant, UV stabilized polycarbonate clear lens.



DIE CAST ALUMINUM LED/EXIT EMERGENCY COMBO

SKU: LSXDCC

Very first die cast combo on the market; unique new design specgrade die cast EXIT sign with LED emergency lights in low-profile housing.



FORTEZZA COMBO EXIT AND EMERGENCY LIGHTING SIGN

SKU: LSFTZC

The maintenance free, sealed nickel cadmium batteries provide a minimum 90 minutes of emergency duration. A two stage charger and transfer system is standard.



INVERTERS

Emergency Power Systems



MINI EMERGENCY POWER SYSTEMS

SKU: SPS Series

Mini-electrical inverter systems for powering up to 220 Watts/250VA of incandescent, fluorescent, induction or LED lighting loads.



MICRO EMERGENCY POWER SYSTEMS

SKU: MPS Series

MPS Series inverter systems are designed to provide sinusoidal AC emergency power to connected 20 and 55 watts.



EMERGENCY POWER SYSTEM WITH TRUE SINUSOIDAL OUTPUT POWER

SKU: LPS Series

Midsize-electrical inverter systems for powering 375 up to 600 watts of incandescent, fluorescent, induction or LED lighting loads.



ACCESSORIES

Vandal Guards and Remote Heads



VANDAL SHIELD

SKU: LSBG

High-impact resistant polycarbonate material. Mounting hardware provided for easy installation in the field.



WIRE SHIELD

SKU: LSWG

Durable 9-gauge steel construction. Mounting hardware provided for easy field installation.



INDOOR & OUTDOOR REMOTE HEADS

SKU: LSRHLED-OUT & LSRHLED-IN

OUTDOOR - Available in both engineering grade, high-impact resistant polycarbonate or premium grade die-cast aluminum housing.

INDOOR - Injection-molded, engineering grade, 5VA flame retardant, high-impact resistant, thermoplastic in white or black finish