











# Indoor Product Comparison & Equivalencies



✓ = DLC Standard    ★ = DLC Premium

TROFFERS		DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
STANDARD							
	<b>SWISH®</b>						
	SWISH2X2-19/D10	★	19W	(3) F17T8	2,878	9 - 12'	120-277
	SWISH2X2-29/D10	★	29W	(4) F17T8	4,037	9 - 12'	120-277
	SWISH2X4-39/D10	★	39W	(3) F32T8	5,619	9 - 12'	120-277
	SWISH2X4-49/D10	★	49W	(4) F32T8	7,289	9 - 12'	120-277
	<b>SWISH® FA</b>						
SWISHFA2X2/D10	✓	19/29/39W	(4) F17T8	up to 4,913	9 - 12'	120-277	
SWISHFA2X4/D10	✓	29/39/49W	(4) F32T8	up to 5,882	9 - 12'	120-277	

PANELS		DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
ULTRA ECONOMY							
	<b>T17™</b>						
	T17-2X2-40		40W	(4) F17T8	2,953	9 - 12'	120-277
	T17-2X4-50		50W	(2) F32T8	4,060	9 - 12'	120-277

ECONOMY		DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
ECONOMY							
	<b>T34™</b>						
	T34-2X2-30/D10	✓	30W	(4) F17T8	2,904	9 - 12'	120-277
	T34-2X4-40/D10	✓	40W	(2) F32T8	4,067	9 - 12'	120-277

STANDARD		DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
STANDARD							
	<b>EZPAN®</b>						
	EZPAN1X4-17/D10	✓	17W	(1) F32T8	2,294	9 - 12'	120-277
	EZPAN1X4-30/D10	✓	30W	(2) F32T8	3,576	9 - 12'	120-277
	EZPAN1X4-40/D10	✓	40W	(2) F32T8	4,539	9 - 12'	120-277
	EZPAN2X2-17/D10	✓	17W	(2) F17T8	2,181	9 - 12'	120-277
	EZPAN2X2-30/D10	✓	30W	(4) F17T8	3,643	9 - 12'	120-277
	EZPAN2X2-40/D10	✓	40W	(4) F17T8	4,708	9 - 12'	120-277
	EZPAN2X4-30/D10	✓	30W	(2) F32T8	3,722	9 - 12'	120-277
	EZPAN2X4-40/D10	✓	40W	(3) F32T8	4,703	9 - 12'	120-277
	EZPAN2X4-50/D10	✓	50W	(3) F32T8	5,500	9 - 12'	120-277

PREMIUM		DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
PREMIUM							
	<b>EZPAN® FA</b>						
	EZPANFA1X4/D10	✓	25/30/40W	(3) F32T8	up to 4,569	9 - 12'	120-277
	EZPANFA2X2/D10	✓	25/30/40W	(4) F17T8	up to 4,802	9 - 12'	120-277
	EZPANFA2X4/D10	✓	30/40/50W	(4) F32T8	up to 5,630	9 - 12'	120-277
	<b>EZPAN® HE</b>						
	EZPANHE1X4-12/D10	★	12W	(1) F32T8	1,642	9 - 12'	120-277
	EZPANHE1X4-23/D10	★	23W	(2) F32T8	3,120	9 - 12'	120-277
	EZPANHE1X4-30/D10	★	30W	(2) F32T8	4,030	9 - 12'	120-277
	EZPANHE2X2-12/D10	★	12W	(2) F17T8	1,757	9 - 12'	120-277
	EZPANHE2X2-23/D10	★	23W	(3) F17T8	3,247	9 - 12'	120-277
	EZPANHE2X2-30/D10	★	30W	(4) F17T8	4,122	9 - 12'	120-277
	EZPANHE2X4-23/D10	★	23W	(2) F32T8	3,137	9 - 12'	120-277
	EZPANHE2X4-30/D10	★	30W	(3) F32T8	4,123	9 - 12'	120-277
	EZPANHE2X4-46/D10	★	46W	(4) F32T8	6,001	9 - 12'	120-277

✓ = DLC Standard   ★ = DLC Premium

## LINEAR HIGH BAYS

### ECONOMY



Product	DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>AEROBAY®</b>						
ARBAY2-95	★	95W	(6) F32T8, 250W MH	13,360	20 - 40'	120-277, 480
ARBAY2-120	★	120W	(6) F32T8, (4) T5HO, 250W MH	16,039	20 - 40'	120-277, 480
ARBAY2-145	★	145W	(8) F32T8, (6) T5HO, 400W MH	19,939	20 - 40'	120-277, 480
ARBAY2-160	★	160W	(8) F32T8, (6) T5HO, 400W MH	21,922	20 - 40'	120-277, 480
ARBAY3-215	★	215W	(8) T5HO, 400W MH	29,100	20 - 40'	120-277, 480
ARBAY3-275	★	275W	(8) T5HO, 400W MH	36,747	20 - 40'	120-277, 480
ARBAY4-315	★	315W	750W MH	43,148	20 - 40'	120-277, 480
ARBAY4-360	★	360W	1,000W MH	48,678	20 - 40'	120-277, 480

### STANDARD



Product	DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>RAIL®</b>						
RAIL95W/D10	★	95W	250W MH	12,645	20 - 40'	120-277, 480
RAIL150W/D10	★	150W	400W MH	18,882	20 - 40'	120-277, 480
RAIL185W/D10	★	185W	400W MH	22,640	20 - 40'	120-277, 480
RAIL225W/D10	★	225W	750W MH	27,156	20 - 40'	120-277, 480
RAIL400W/D10	★	400W	1000W MH	54,996	30 - 50'	120-277, 480

### PREMIUM



Product	DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>FALCOR®</b>						
FALCOR80W		80W	150W MH	6,965	15 - 25'	120-277, 480
FALCORA80W		80W	150W MH	6,750	15 - 25'	120-277, 480
FALCOR160W		160W	250W MH	14,304	20 - 35'	120-277, 480
FALCORA160W		160W	250W MH	13,889	20 - 35'	120-277, 480
FALCOR230W		230W	400W MH	21,612	20 - 35'	120-277, 480
FALCORA230W		230W	400W MH	19,852	20 - 35'	120-277, 480

## ROUND HIGH BAYS

### ECONOMY



Product	DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>HAYBAY®</b>						
HAYBAY100/D10	✓	100W	250W MH	11,027	20 - 35'	120-277
HAYBAY130/D10	✓	130W	400W MH	15,614	20 - 35'	120-277
HAYBAY150/D10	✓	150W	400W MH	18,322	20 - 40'	120-277
HAYBAY180/D10	✓	180W	400W MH	21,124	20 - 40'	120-277

### PREMIUM



Product	DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>BAYLED®</b>						
AISLED78W		78W	250W MH	9,927	15 - 25'	120-277
BAYLED78W	✓	78W	250W MH	11,311	15 - 25'	120-277
BAYLED104W	✓	104W	400W MH	14,942	15 - 25'	120-277

## STAIRWELL




### STANDARD





Product	DLC	Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>TSLED</b>						
TSLED2-28N/D10	✓	28W	(3) F17T8	2,998	9 - 12'	120-277
TSLED4-36N/D10	✓	36W	(2) F32T8	4,004	9 - 12'	120-277




✓ = DLC Standard   ★ = DLC Premium



## WASHDOWNS

Product		Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>ECONOMY</b> 						
<b>SEAL®</b>						
 SEAL4-25/D10	✓	25W	(1) F32T8	3,019	14 - 22'	120-277
SEAL4-50/D10	✓	50W	(2) F32T8	5,849	14 - 22'	120-277
SEAL8-100/D10	✓	100W	(5) F32T8, (2) F59T8	11,698	14 - 22'	120-277




<b>PREMIUM</b> 						
<b>SHARK®</b>						
 SHARK2-18W/D10	✓	18W	(2) F17T8	2,218	8 - 16'	120-277
SHARK2-25W/D10	✓	25W	(2) F17T8	2,697	12 - 20'	120-277
SHARK4-36W/D10	✓	36W	(2) F32T8	4,192	14 - 22'	120-277, 480
SHARK4-50W/D10	✓	50W	(2) F32T8	5,161	14 - 22'	120-277, 480
SHARK8-70W/D10	★	70W	(5) F32T8, (2) F96T8	11,300	14 - 22'	120-277, 480
SHARK8-100W/D10	★	100W	(6) F32T8, (3) F96T8	13,429	14 - 22'	120-277, 480

## WRAPS




Product		Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>ECONOMY</b> 						
<b>GUS® JR</b>						
 GUSJR2-20N-840WU	✓	20W	(2) F17T8	2,620	9 - 12'	120-277
GUSJR4-27N-840WU	✓	27W	(1) F32T8	3,547	9 - 12'	120-277
GUSJR4-40N-840WU	✓	40W	(2) F32T8	4,834	9 - 12'	120-277




<b>PREMIUM</b> 						
<b>GUS®</b>						
 GUS2-18NW/D10	✓	18W	(1) F17T8	2,140	9 - 12'	120-277
GUS2-25NW/D10	✓	25W	(2) F17T8	2,757	9 - 12'	120-277
GUS4-36NW/D10	★	36W	(2) F32T8	4,827	9 - 12'	120-277
GUS4-50NW/D10	★	50W	(3) F32T8	6,378	9 - 12'	120-277


## STRIP LIGHTS



Product		Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>ECONOMY</b> 						
<b>STR-PLED</b>						
 STRP210-840U	★	10W	(1) F17T8	1,409	N/A	120-277
STRP220-840U	★	20W	(2) F17T8	2,731	N/A	120-277
STRP420-840U	★	20W	(1) F32T8	2,658	N/A	120-277
STRP440-840U	★	40W	(2) F32T8	5,539	N/A	120-277




## UNDERCABINET







Product		Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
<b>STANDARD</b> 						
<b>KNOOK®</b>						
 KNOOK8Y	✓	5W	30W Halogen	270	N/A	120-277
KNOOK16Y	✓	10W	60W Halogen	518	N/A	120-277
KNOOK24Y	✓	14W	90W Halogen	820	N/A	120-277
KNOOK32Y	✓	17W	120W Halogen	1,176	N/A	120-277



SURFACE MOUNT		Product		Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
ULTRA-ECONOMY 								
		<b>DISK34</b>						
		DSK34-4R12950120WS	✓	12W	65W Incandescent	888	9 - 12'	120
		DSK34-4R12940120WS	✓	12W	65W Incandescent	863	9 - 12'	120
		DSK34-4R12935120WS	✓	12W	65W Incandescent	852	9 - 12'	120
		DSK34-4R12930120WS	✓	12W	65W Incandescent	836	9 - 12'	120
		DSK34-4R12927120WS	✓	12W	65W Incandescent	831	9 - 12'	120
		DSK34-6R16950120WS	✓	16W	75W Incandescent	1,161	9 - 12'	120
		DSK34-6R16940120WS	✓	16W	75W Incandescent	1,140	9 - 12'	120
		DSK34-6R16935120WS	✓	16W	75W Incandescent	1,105	9 - 12'	120
		DSK34-6R16930120WS	✓	16W	75W Incandescent	1,070	9 - 12'	120
DSK34-6R16927120WS	✓	16W	75W Incandescent	1,059	9 - 12'	120		









ECONOMY 								
		<b>DISK</b>						
		DSK4R11930120W	✓	11W	65W Incandescent	670	9 - 12'	120
		DSK6R11930120W	✓	11W	65W Incandescent	785	9 - 12'	120
		DSK6R15930120W	✓	15W	75W Incandescent	1,072	9 - 12'	120
		<b>FIELD ADJUSTABLE</b>						
		DSK4R79FA120WS	✓	7W	65W Incandescent	653	9 - 12'	120
		DSK6R119FA120WS	✓	11W	75W Incandescent	1,053	9 - 12'	120
		<b>EDGE LIT</b>						
		SM5.5R10930UNVTW	✓	10W	60W Incandescent	600	9 - 12'	120-277
		SM5.5S10930UNVTW	✓	10W	60W Incandescent	600	9 - 12'	120-277
SM7R15930UNVW	✓	15W	75W Incandescent	900	9 - 12'	120-277		
SM7S15930UNVW	✓	15W	75W Incandescent	900	9 - 12'	120-277		
SM9R20930UNVW	✓	20W	100W Incandescent	1,200	9 - 12'	120-277		
SM9S20930UNVW	✓	20W	100W Incandescent	1,200	9 - 12'	120-277		

STANDARD 								
		<b>SKREET®</b>						
		SK8XL10RY	✓	10W	(2) 9W CFL, 24W Circ	1,071	8 - 12'	120
		SK12XL12RY	✓	12W	(2) 13W CFL, 24W Circ	1,160	8 - 12'	120
		SK16XL20RY	✓	20W	(2) 18W CFL, 32W Circ	1,870	8 - 12'	120
		SK21XL25RY	✓	25W	(2) 18W CFL, 40W Circ	2,214	8 - 12'	120

RETROFIT		Product		Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage
ULTRA ECONOMY 								
		<b>RECESSED RETROFIT</b>						
		R457930120W	✓	7W	50W Incandescent	653	9 - 12'	120
		R4R8930120W	✓	8W	65W Incandescent	748	9 - 12'	120
		R6R8930120W	✓	8W	65W Incandescent	769	9 - 12'	120
		R6S10930120W	✓	10W	75W Incandescent	918	9 - 12'	120
		R6R11930120W	✓	11W	75W Incandescent	961	9 - 12'	120
		R6R14930120W	✓	14W	100W Incandescent	1,232	9 - 12'	120
		<b>UNIVERSAL VOLTAGE</b>						
		R6R10930UNVTWS	✓	10W	75W Incandescent	874	9 - 12'	120-277
		R6R14930UNVTWS	✓	14W	100W Incandescent	1,299	9 - 12'	120-277

RETROFIT			Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage	
ECONOMY 								
	<b>RECESSED RETROFIT</b>							
		FIELD ADJUSTABLE						
		R4R89FA120W	✓	8W	65W Incandescent	700	9 - 12'	120
		R6R89FA120W	✓	8W	65W Incandescent	725	9 - 12'	120
	R6R119FA120W	✓	11W	75W Incandescent	900	9 - 12'	120	
	<b>RECESSED RETROFIT GIMBAL</b>							
		FIELD ADJUSTABLE						
		RA4R89FA120WS	✓	8W	65W Incandescent	746	9 - 12'	120
		RA6R109FA120WS	✓	10W	75W Incandescent	948	9 - 12'	120

STANDARD 								
	<b>DLED®</b>							
		DLED4R9Y	✓	9W	50W PAR, 65W BR30	686	9 - 12'	120
		DLED4R11Y	✓	11W	90W PAR, 85W BR40	726	9 - 12'	120
		DLED4R11Y	✓	11W	90W PAR, 85W BR40	705	9 - 12'	120
		DLED6R14Y	✓	14W	50W PAR, 65W BR30	737	9 - 12'	120
		DLED6R9Y	✓	9W	90W PAR, 85W BR40	813	9 - 12'	120
		DLED6R11Y	✓	11W	90W PAR, 85W BR40	887	9 - 12'	120
		DLED8R30Y + D8TRIMW		30W	50W MH, 32W CFL	2,413	9 - 12'	120-277
		DLED8R38Y + D8TRIMW		38W	70W MH, 42W CFL	2,897	9 - 12'	120-277

RECESSED			Wattage	Replacement	Delivered Lumens	Mounting Height	Voltage	
ECONOMY 								
	<b>2" AND GIMBAL (CANLESS)</b>							
		R2R8930120WB	✓	8W	60W Incandescent	400	9 - 12'	120
		G2R5930120W	✓	5W	40W Incandescent	600	9 - 12'	120
		G3R8930120W	✓	8W	60W Incandescent	1,050	9 - 12'	120
		G4R14930120W	✓	14W	100W Incandescent	650	9 - 12'	120
	<b>EDGE-LIT WAFER (CANLESS)</b>							
		WFR3R8930120WS	✓	8W	60W Incandescent	550	9 - 12'	120
		WFR4R9930120WS	✓	9W	60W Incandescent	550	9 - 12'	120
		WFR6R12930120WS	✓	12W	65W Incandescent	750	9 - 12'	120
		WFR6R14930120WS	✓	14W	100W Incandescent	1,150	9 - 12'	120
	<b>UNIVERSAL VOLTAGE</b>							
		WFR6R12930UNWWS	✓	12W	75W Inc./18W CFL	750	9 - 12'	120
		WFR8R24930UNWWS	✓	24W	125W Inc./32W CFL	1,900	9 - 12'	120-277
		FIELD ADJUSTABLE						
		WFR4R99FA120WS	✓	9W	60W Incandescent	674	9 - 12'	120
	WFR6R129FA120WS	✓	12W	75W Incandescent	944	9 - 12'	120	
	<b>DEEP REGRESS WAFER (CANLESS)</b>							
		FIELD ADJUSTABLE						
		WFRD4R99FA120WS	✓	9W	65W Incandescent	679	9 - 12'	120
	WFRD6R139FA120WS	✓	13W	75W Incandescent	1128	9 - 12'	120	

# RECESSED



Product

Wattage

Replacement

Delivered Lumens

Mounting Height

Voltage

## ECONOMY



### PERFORMANCE (CANLESS)

C6R12930UNVW	✓	12W	18W CFL	934	9 - 12'	120-277
C6R18930UNVW	✓	18W	32W CFL	1,510	9 - 12'	120-277
C8R24930UNVW	✓	24W	2x26W CFL	2,026	9 - 12'	120-277
C8R33930UNVW	✓	33W	2x42W CFL	3,035	9 - 12'	120-277
C8R82830UNVW	✓	82W	200/250W MH	8,120	9 - 12'	120-277



### FIELD ADJUSTABLE

C6R9/129FAUNVW	✓	9/12W	13/18W CFL	up to 900	9 - 12'	120-277
C6R14/189FAUNVW	✓	14/18W	26/32W CFL	up to 1,500	9 - 12'	120-277
C6R7/10/189FAUNVW	✓	7/10/18W	18/26/32W CFL	up to 1,500	9 - 12'	120-277
C8R10/15/229FAUNVW	✓	10/15/22W	26/32/42W CFL	up to 2,000	9 - 12'	120-277
C9.5R20/25/329FAUNVW	✓	20/25/32W	42W/2x26W CFL	up to 3,000	9 - 12'	120-277



### FIELD ADJUSTABLE

C6R119FAUNVW	✓	11W	18W CFL	930	9 - 12'	120-277
C6R189FAUNVW	✓	18W	32W CFL	1,580	9 - 12'	120-277
C6R229FAUNVW	✓	22W	2 x 26W CFL	2,080	9 - 12'	120-277
C8R229FAUNVW	✓	22W	2 x 26W CFL	2,032	9 - 12'	120-277
C8R339FAUNVW	✓	33W	2 x 42W CFL	3,049	9 - 12'	120-277
C8R559FAUNVW	✓	55W	175W MH	5,080	9 - 12'	120-277



## STANDARD



### DEEP REGRESS COMMERCIAL (CANLESS)

C3R5.5/7/8.59FAUNVW	✓	5.5/7/8.5W	13W CFL	up to 670	9 - 12'	120-277
C4R8/10/119FAUNVW	✓	8/10/11W	18W CFL	up to 865	9 - 12'	120-277
C6R12/18/249FAUNVW	✓	12/18/24W	1x26W/1x32W/2x26W CFL	up to 2030	9 - 12'	120-277
C8R34/46/599FAUNVW	✓	34/46/59W	2x42W CFL/1x57W CFL/1x175W MH	up to 5000	9 - 12'	120-277



## PREMIUM



### NEW CONSTRUCTION

ND2T+RDLED2AR8-20Y-TW	✓	8W	50W MR16	739	9 - 12'	120
ND2T+RDLED2R8-20Y-TW	✓	8W	50W MR16	607	9 - 12'	120
ND2RT+RDDLED2R-10D-20Y-W-WT	✓	10W	75W MR16	917	9 - 12'	120
NDCANIC4R+HALED8-80FR-Y-S-W	✓	8W	65W BR30	698	9 - 12'	120-277
NDCANIC6R+HALED8-80FR-Y-S-W	✓	8W	100W BR40/PAR	691	9 - 12'	120-277
NDCANIC6R+HALED12-80FR-Y-S-W	✓	12W	100W BR40/PAR	910	9 - 12'	120-277
ND4R12D+NDLED4RD-80Y-S-W	✓	12W	75W R30	1,238	9 - 12'	120-277
ND4R20D+NDLED4RD-80Y-S-W	✓	20W	100W PAR	1,661	9 - 12'	120-277
ND6R20D+NDLED6RD-80Y-S-W	✓	20W	100W PAR	1,749	9 - 12'	120-277
ND6R26D+NDLED6RD-80Y-S-W	✓	26W	100W PAR	2,333	9 - 12'	120-277



### REMODELER

RDLED2AR8-20Y-TW	✓	8W	50W MR16	739	9 - 12'	120
RDLED2R8-20Y-TW	✓	8W	50W MR16	607	9 - 12'	120
RDDLED2R-10D-20Y-W-WT	✓	10W	75W MR16	917	9 - 12'	120
RDCANIC4R+HALED8-80FR-Y-S-W	✓	8W	65W BR30	698	9 - 12'	120-277
RDCANIC6R+HALED8-80FR-Y-S-W	✓	8W	100W BR40/PAR	691	9 - 12'	120-277
RDCANIC6R+HALED12-80FR-Y-S-W	✓	12W	100W BR40/PAR	910	9 - 12'	120-277
RDLED4R12-80Y-S-W	✓	12W	75W R30	1,238	9 - 12'	120-277
RDLED4R20-80Y-S-W	✓	20W	100W PAR	1,661	9 - 12'	120-277
RDLED6R20-80Y-S-W	✓	20W	100W PAR	1,749	9 - 12'	120-277
RDLED6R26-80Y-S-W	✓	26W	100W PAR	2,333	9 - 12'	120-277

